

FIG. 1A




FIG. 1B




FIG. 1C




FIG. 1D




FIG. 2B




FIG. 2C




FIG. 3A




FIG. 3B




FIG. 3C





FIG. 3D



20220729 21564001

FIG. 4A




FIG. 4B




FIG. 4C





FIG. 5



20220721567001

NON-OVERLAPPING PORTION OVERLAPPING PORTION

FIG. 6A




FIG. 6B




FIG. 6C




FIG. 6D




FIG. 7





FIG. 8



2023072512007951202202

FIG. 9B




FIG. 9C




FIG. 10A




FIG. 10B




FIG. 10C




FIG. 10D




FIG. 10E





FIG. 10F



20220229.21567001

FIG. 11A




FIG. 11B




FIG. 11C




FIG. 11D




FIG. 11E




FIG. 11F





FIG. 12



12/21

FIG. 13




FIG. 14




FIG. 15




FIG. 16A




FIG. 16B




FIG. 17




FIG. 18A




FIG. 18B




FIG. 19




FIG. 20A




FIG. 20B




FIG. 20C




FIG. 21




FIG. 22A




FIG. 22B




FIG. 22C





FIG. 22D



A schematic diagram of a laser processing system. A laser beam (3015) is directed by mirrors (3013, 3014) onto a workpiece (3016). The workpiece is supported by a series of rollers (3017, 3018, 3019) and a conveyor belt (3020).